

# Sample Plan for COVID-19 Exposure Prevention, Preparedness, and Response

*Developed by Construction Industry Safety Coalition (CISC)<sup>1</sup> March 25, 2020  
Revised by The Associated General Contractors of America (AGC) March 31, 2020  
Addendum included by The Associated General Contractors of Colorado (AGCC) April 1, 2020*

\*\*\*\*

*Every construction project is different. What is feasible and appropriate for any one project depends on its size, location and other unique characteristics. To help construction contractors develop a sound approach to each of their projects, the CISC is pleased to make this sample plan available. Neither the coalition nor its individual members intend this document to be a definitive statement of the protocols and procedures that are applicable to each and every project. Nor are they endeavoring to provide legal or other professional advice. This document should NOT be construed as legal advice or any other expression of the scope or nature of a construction contractor's legal obligation to provide employment and a safe place of employment to its employees, particularly under the unprecedented circumstances that the COVID-19 outbreak has created. In addition, new and better information could well supersede the information included in this document. As the situation evolves, construction contractors should continue to monitor the environment in which they are working and related developments and react accordingly.*

\*\*\*\*

          **[Name of Company]**           (hereinafter “Company”) takes the health and safety of our employees very seriously. With the spread of the coronavirus or “COVID-19,” a respiratory disease caused by the SARS-CoV-2 virus, the Company must remain vigilant in mitigating the outbreak. The Company is a proud part of the construction industry, which many have deemed “essential” during this Declared National Emergency. In order to be safe and maintain operations, we have developed this COVID-19 Exposure Prevention, Preparedness, and Response Plan to be implemented, to the extent feasible and appropriate, throughout the Company and at all of our jobsites. The Company has also identified a team of employees to monitor the related guidance that U.S. Center for Disease Control and Prevention (“CDC”) and Occupational Safety and Health Administration (“OSHA”) continue to make available.

This Plan is based on information available from the CDC and OSHA at the time of its development and is subject to change based on further information provided by the CDC, OSHA, and other public officials. The Company may also amend this Plan based on operational needs.

---

## **I. Responsibilities of Managers and Supervisors**

---

All managers and supervisors must be familiar with this Plan and be ready to answer questions from employees. Managers and supervisors must set a good example by following this Plan at all times. This involves practicing good personal hygiene and jobsite safety practices to prevent the spread of the virus. Managers and supervisors must encourage this same behavior from all employees.

---

<sup>1</sup> The CISC is comprised of over 25 construction industry trade associations representing all aspects of the construction industry. The CISC was formed to provide information to the Occupational Safety and Health Administration and contractors on important safety and health issues. This document is a “template” that individual contractors should review carefully and tailor to their own work and jobsites.

---

## II. Responsibilities of Employees

---

The Company is asking every one of our employees to help with our prevention efforts while at work. In order to minimize the spread of COVID-19 at our jobsites, everyone must play their part. As set forth below, the Company has instituted various housekeeping, social distancing, and other best practices at our jobsites. All employees must follow these. In addition, employees are expected to report to their managers or supervisors if they are experiencing signs or symptoms of COVID-19, as described below. If you have a specific question about this Plan or COVID-19, please ask your manager or supervisor. If they cannot answer the question, please contact           **[Title of Manager or Supervisor]**          

OSHA and the CDC have provided the following control and preventative guidance for all workers, regardless of exposure risk:

- Frequently wash your hands with soap and water for at least 20 seconds. When soap and running water are unavailable, use an alcohol-based hand rub with at least 60% alcohol.
- Avoid touching your eyes, nose, or mouth with unwashed hands.
- Follow appropriate respiratory etiquette, which includes covering for coughs and sneezes.
- Avoid close contact with people who are sick.

In addition, employees must familiarize themselves with the symptoms of COVID-19, which include the following:

- Coughing;
- Fever;
- Shortness of breath, difficulty breathing; and
- Early symptoms such as chills, body aches, sore throat, headache, diarrhea, nausea/vomiting, and runny nose.

If you develop a fever and symptoms of respiratory illness, such as cough or shortness of breath, **DO NOT GO TO WORK** and call your supervisor and healthcare provider right away. Likewise, if you come into close contact with someone showing these symptoms, call your supervisor and healthcare provider right away.

---

### III. Job Site Protective Measures

---

The Company has instituted the following protective measures at all jobsites.

A. *General Safety Policies and Rules*

- Any employee/contractor/visitor showing symptoms of COVID-19 will be asked to leave the jobsite and return home.
- Safety meetings will be by telephone, if possible. If safety meetings are conducted in-person, attendance will be collected verbally and the foreman/superintendent will sign-in each attendee. Attendance will not be tracked through passed-around sign-in sheets or mobile devices. During any in-person safety meetings, avoid gathering in groups of more than 10 people and participants must remain at least six (6) feet apart.
- Employees must avoid physical contact with others and shall direct others (co-workers/contractors/visitors) to increase personal space to at least six (6) feet, where possible. Where work trailers are used, only necessary employees should enter the trailers and all employees should maintain social distancing while inside the trailers.
- All in-person meetings will be limited. To the extent possible, meetings will be conducted by telephone.
- Employees will be encouraged to stagger breaks and lunches, if practicable, to reduce the size of any group at any one time to less than ten (10) people.
- The Company understands that due to the nature of our work, access to running water for hand washing may be impracticable. In these situations, the Company will provide, if available, alcohol-based hand sanitizers and/or wipes.
- Employees should limit the use of co-workers' tools and equipment. To the extent tools must be shared, the Company will provide alcohol-based wipes to clean tools before and after use. When cleaning tools and equipment, consult manufacturing recommendations for proper cleaning techniques and restrictions.
- Employees are encouraged to limit the need for N95 respirator use, by using engineering and work practice controls to minimize dust. Such controls include the use of water delivery and dust collection systems, as well as limiting exposure time.
- The Company will divide crews/staff into two (2) groups where possible so that projects can continue working effectively in the event that one of the divided teams is required to quarantine.
- As part of the division of crews/staff, the Company will divide employees into dedicated shifts, at which point employees will remain with their dedicated shifts for the remainder of the project. If there is a legitimate reason for an employee to change shifts, the Company will have sole discretion in making that alteration.

- Employees are encouraged to minimize ride-sharing. While in vehicles, employees must ensure adequate ventilation.
- If practicable, each employee should use/drive the same truck or piece of equipment every shift.
- In lieu of using a common source of drinking water, such as a cooler, employees should use individual water bottles.

**[Additional Jobsite Safety Precautions Include: Additional Precautions that May be Appropriate for Specific Companies, Business Operations or Projects].**

*B. Workers entering Occupied Building and Homes*

- Construction and maintenance activities within occupied homes, office buildings, and other establishments, present unique hazards with regards to COVID-19 exposures. Everyone working within such establishments should evaluate the specific hazards when determining best practices related to COVID-19.
- During this work, employees must sanitize the work areas upon arrival, throughout the workday, and immediately before departure. The Company will provide alcohol-based wipes for this purpose.
- Employees should ask other occupants to keep a personal distance of six (6) feet at a minimum. Workers should wash or sanitize hands immediately before starting and after completing the work.

*C. Job Site Visitors*

- The number of visitors to the job site, including the trailer or office, will be limited to only those necessary for the work.
- All visitors will be screened in advance of arriving on the job site. If the visitor answers “yes” to any of the following questions, he/she should not be permitted to access the jobsite:
  - Have you been confirmed positive for COVID-19?

- Are you currently experiencing, or recently experienced, any acute respiratory illness symptoms such as fever, cough, or shortness of breath?
- Have you been in close contact with any persons who has been confirmed positive for COVID-19?
- Have you been in close contact with any persons who have traveled and are also exhibiting acute respiratory illness symptoms?
- Site deliveries will be permitted but should be properly coordinated in line with the employer's minimal contact and cleaning protocols. Delivery personnel should remain in their vehicles if at all possible.

*D. Personal Protective Equipment and Work Practice Controls*

- In addition to regular PPE for workers engaged in various tasks (fall protection, hard hats, hearing protection), the Company will also provide:
  - Gloves: Gloves should be worn at all times while on-site. The type of glove worn should be appropriate to the task. If gloves are not typically required for the task, then any type of glove is acceptable, including latex gloves. Employees should avoid sharing gloves.
  - Eye protection: Eye protection should be worn at all times while on-site.
  - **NOTE:** The CDC is currently not recommending that healthy people wear N95 respirators to prevent the spread of COVID-19. Nevertheless, employees must wear N95 respirators if required by the work and if available.
- Due to the current shortage of N95 respirators, the following Work Practice Controls should be followed:
  - Keep dust down by using engineering and work practice controls, specifically through the use of water delivery and dust collection systems.
  - Limit exposure time to the extent practicable.
  - Isolate workers in dusty operations by using a containment structure or distance to limit dust exposure to those employees who are conducting the tasks, thereby protecting nonessential workers and bystanders.
- Institute a rigorous housekeeping program to reduce dust levels on the jobsite.

---

#### IV. Job Site Cleaning and Disinfecting

---

The Company has instituted regular housekeeping practices, which include cleaning and disinfecting frequently used tools and equipment, and other elements of the work environment, where possible. Employees should regularly do the same in their assigned work areas.

- Jobsite trailers and break/lunchroom areas will be cleaned at least once per day. Employees performing cleaning will be issued proper personal protective equipment (“PPE”), such as nitrile, latex, or vinyl gloves and gowns, as recommended by the CDC.
- Any trash collected from the jobsite must be changed frequently by someone wearing nitrile, latex, or vinyl gloves.
- Any portable jobsite toilets should be cleaned by the leasing company at least twice per week and disinfected on the inside. The Company will ensure that hand sanitizer dispensers are always filled. Frequently touched items (i.e. door pulls and toilet seats) will be disinfected frequently.
- Vehicles and equipment/tools should be cleaned at least once per day and before change in operator or rider.
- OSHA has indicated that a reliable report that an employee has tested positive for COVID-19 does not typically require an employer to perform special cleaning or decontamination of work environments, unless those environments are visibly contaminated with blood or other bodily fluids.<sup>2</sup> Notwithstanding this, the Company will clean those areas of the jobsite that a confirmed-positive individual may have contacted and it will do so before employees can access that work space again.
- The Company will ensure that any disinfection shall be conducted using one of the following:
  - Common EPA-registered household disinfectant;
  - Alcohol solution with at least 60% alcohol; or
  - Diluted household bleach solutions (if appropriate for the surface).

**[Additional Cleaning and Disinfection Guidelines Include: Additional Cleaning Requirements that May be Appropriate if Hazardous Materials are Used Onsite ]**

- The Company will maintain Safety Data Sheets of all disinfectants used on site.

---

<sup>2</sup> <https://www.osha.gov/SLTC/covid-19/controlprevention.html>

---

## V. Jobsite Exposure Situations

---

- **Employee Exhibits COVID-19 Symptoms**

If an employee exhibits COVID-19 symptoms, the employee must remain at home until he or she is symptom free for 72 hours (3 full days) without the use of fever-reducing or other symptom-altering medicines (e.g., cough suppressants). The Company will similarly require an employee who reports to work with symptoms to return home until he or she is symptom free for 72 hours (3 full days). To the extent practical, employees are required to obtain a doctor's note clearing them to return to work.

- **Employee Tests Positive for COVID-19**

An employee who tests positive for COVID-19 will be directed to self-quarantine away from work. Employees that test positive and are symptom free may return to work when at least seven (7) days have passed since the date of his or her first positive test, and have not had a subsequent illness. Employees who test positive and are directed to care for themselves at home may return to work when: (1) at least 72 hours (3 full days) have passed since recovery;<sup>3</sup> and (2) at least seven (7) days have passed since symptoms first appeared. Employees who test positive and have been hospitalized may return to work when directed to do so by their medical care providers. The Company will require an employee to provide documentation clearing his or her return to work.

- **Employee Has Close Contact with an Individual Who Has Tested Positive for COVID-19**

Employees who have come into close contact with an individual who has tested positive for COVID-19 (co-worker or otherwise) will be directed to self-quarantine for 14 days from the last date of close contact with that individual. Close contact is defined as six (6) feet for a prolonged period of time.

If the Company learns that an employee has tested positive, the Company will conduct an investigation to determine co-workers who may have had close contact with the confirmed-positive employee in the prior 14 days and direct those individuals who have had close contact with the confirmed-positive employee to self-quarantine for 14 days from the last date of close contact with that employee. If applicable, the Company will also notify any sub-contractors, vendors/suppliers or visitors who may have had close contact with the confirmed-positive employee. If an employee learns that he or she has come into close contact with a confirmed-positive individual outside of the workplace, he/she must alert a manager or supervisor of the close contact and self-quarantine for 14 days from the last date of close contact with that individual.

---

<sup>3</sup> Recovery is defined as: (1) resolution of fever without the use of fever-reducing medications and (2) improvement in respiratory symptoms (e.g., cough, shortness of breath).

---

## VI. OSHA Recordkeeping

---

If a confirmed case of COVID-19 is reported, the Company will determine if it meets the criteria for recordability and reportability under OSHA’s recordkeeping rule. OSHA requires construction employers to record work-related injuries and illnesses that meet certain severity criteria on the OSHA 300 Log, as well as complete the OSHA Form 301 (or equivalent) upon the occurrence of these injuries. For purposes of COVID-19, OSHA also requires employers to report to OSHA any work-related illness that (1) results in a fatality, or (2) results in the in-patient hospitalization of one or more employee. “In-patient” hospitalization is defined as a formal admission to the in-patient service of a hospital or clinic for care or treatment.

OSHA has made a determination that COVID-19 should *not* be excluded from coverage of the rule – like the common cold or the seasonal flu – and, thus, OSHA is considering it an “illness.” However, OSHA has stated that only confirmed cases of COVID-19 should be considered an illness under the rule. Thus, if an employee simply comes to work with symptoms consistent with COVID-19 but is not a confirmed diagnosis, the recordability analysis is not necessarily triggered at that time.

If an employee has a confirmed case of COVID-19, the Company will conduct an assessment of any workplace exposures to determine if the case is work-related. Work-relatedness is presumed for illnesses that result from events or exposures in the work environment, unless it meets certain exceptions. One of those exceptions is that the illness involves signs or symptoms that surface at work but result solely from a non-work-related event or exposure that occurs *outside* of the work environment. Thus, if an employee develops COVID-19 *solely* from an exposure outside of the work environment, it would *not* be work-related, and thus not recordable.

The Company’s assessment will consider the work environment itself, the type of work performed, the risk of person-to-person transmission given the work environment, and other factors such as community spread. Further, if an employee has a confirmed case of COVID-19 that is considered work-related, the Company will report the case to OSHA if it results in a fatality within 30 days or an in-patient hospitalization within 24-hours of the exposure incident.

---

## VII. Confidentiality/Privacy

---

Except for circumstances in which the Company is legally required to report workplace occurrences of communicable disease, the confidentiality of all medical conditions will be maintained in accordance with applicable law and to the extent practical under the circumstances. When it is required, the number of persons who will be informed that an unnamed employee has tested positive will be kept to the minimum needed to comply with reporting requirements and to limit the potential for transmission to others. The Company reserves the right to inform other employees that an unnamed co-worker has been diagnosed with COVID-19 if the other employees might have been exposed to the disease so the employees may take measures to protect their own health. The Company also reserves the right to inform sub-contractors, vendors/suppliers or visitors that an unnamed employee has been diagnosed with COVID-19 if they might have been exposed to the disease so those individuals may take measures to protect their own health.

---

## VIII. General Questions

---

Given the fast-developing nature of the COVID-19 outbreak, the Company may modify this Plan on a case by case basis. If you have any questions concerning this Plan, please contact \_\_\_\_\_ **[Title of Designated Individual]**\_\_\_\_\_.

### **COVID-19 Checklist for Employers and Employees**

#### **Know the Symptoms of COVID-19**

- Coughing, fever, shortness of breath, and difficulty breathing.
- Early symptoms may include chills, body aches, sore throat, headache, diarrhea, nausea/vomiting, and runny nose. If you develop a fever and symptoms of respiratory illness, **DO NOT GO TO WORK** and call your supervisor and health-care provider immediately. Do the same thing if you come into close contact with someone showing these symptoms.

#### **Employer Responsibilities**

- Develop a COVID-19 Exposure Action Plan.
- Conduct safety meetings (toolbox talks) by phone if possible. If not, instruct employees to maintain 6-feet between each other. The foreman/supervisor will track attendance verbally rather than having employees sign an attendance sheet.
- Access to the job site and work trailer will be limited to only those necessary for the work.
- All visitors will be pre-screened to ensure they are not exhibiting symptoms.
- Employees, contractors, and visitors will be asked to leave the jobsite and return home if they are showing symptoms.
- Provide hand sanitizer and maintain Safety Data Sheets of all disinfectants used on site.
- Provide protective equipment (PPE) to any employees assigned cleaning/disinfecting tasks.

#### **Employee Responsibilities**

- Become familiar with the Exposure Action Plan and follow all elements of the Plan.
- Practice good hygiene: wash hands with soap and water for at least 20 seconds. If these are not available, use alcohol-based hand rub with at least 60% alcohol. Avoid touching your face, eyes, food, etc. with unwashed hands.

#### **Cleaning/Disinfecting Job Sites and Other Protective Measures**

- Clean and disinfect frequently used tools and equipment on a regular basis. This includes other elements of the jobsite where possible. Employees should regularly do the same in their assigned work areas.
- Clean shared spaces such as trailers and break/lunchrooms at least once per day.
- Disinfect shared surfaces (door handles, machinery controls, etc.) on a regular basis.
- Avoid sharing tools with co-workers. If not, disinfect before and after each use.
- Arrange for any portable job site toilets be cleaned by the leasing company at least twice per week and disinfected on the inside.
- Trash collected from the jobsite must be changed frequently by someone wearing gloves.

#### **Personal Protective Equipment and Alternate Work Practice Controls**

- Provide and wear the proper PPE.
- Keep the dust down by using engineering and work practice controls, specifically through the use of water delivery and dust collection systems.

## COVID-19 Toolbox Talk

### What is COVID-19?

The novel coronavirus, COVID-19 is one of seven types of known human coronaviruses. COVID-19, like the MERS and SARS coronaviruses, likely evolved from a virus previously found in animals. The remaining known coronaviruses cause a significant percentage of colds in adults and children, and these are not a serious threat for otherwise healthy adults.

Patients with confirmed COVID-19 infection have reportedly had mild to severe respiratory illness with symptoms such as fever, cough, and shortness of breath.

According to the U.S. Department of Health and Human Services/Centers for Disease Control and Prevention (“CDC”), Chinese authorities identified an outbreak caused by a novel—or new—coronavirus. The virus can cause mild to severe respiratory illness. The outbreak began in Wuhan, Hubei Province, China, and has spread to a growing number of other countries—including the United States.

### How is COVID-19 Spread?

COVID-19, like other viruses, can spread between people. Infected people can spread COVID-19 through their respiratory secretions, especially when they cough or sneeze. According to the CDC, spread from person-to-person is most likely among close contacts (about 6 feet). Person-to-person spread is thought to occur mainly *via* respiratory droplets produced when an infected person coughs or sneezes, like influenza and other respiratory pathogens. These droplets can land in the mouths or noses of people who are nearby or possibly be inhaled into the lungs. It is currently unclear if a person can get COVID-19 by touching a surface or object that has the virus on it and then touching their own mouth, nose, or possibly their eyes.

In assessing potential hazards, employers should consider whether their workers may encounter someone infected with COVID-19 in the course of their duties. Employers should also determine if workers could be exposed to environments (e.g., worksites) or materials (e.g., laboratory samples, waste) contaminated with the virus.

Depending on the work setting, employers may also rely on identification of sick individuals who have signs, symptoms, and/or a history of travel to COVID-19-affected areas that indicate potential infection with the virus, in order to help identify exposure risks for workers and implement appropriate control measures.

There is much more to learn about the transmissibility, severity, and other features associated with COVID-19, and investigations are ongoing.

## COVID-19 Prevention and Work Practice Controls:

### Worker Responsibilities

- Frequently wash your hands with soap and water for at least 20 seconds. When soap and running water are unavailable, use an alcohol-based hand rub with at least 60% alcohol. Always wash hands that are visibly soiled.
- Cover your mouth and nose with a tissue when you cough or sneeze or use the inside of your elbow.
- Avoid touching your eyes, nose, or mouth with unwashed hands.
- Avoid close contact with people who are sick.
- Employees who have symptoms (i.e., fever, cough, or shortness of breath) should notify their supervisor and stay home—DO NOT GO TO WORK.
- Sick employees should follow [CDC-recommended steps](#). Employees should not return to work until the criteria to [discontinue home isolation](#) are met, in consultation with healthcare providers and state and local health departments.

### General Job Site / Office Practices

- Clean AND disinfect frequently touched objects and surfaces such as workstations, keyboards, telephones, handrails, and doorknobs. Dirty surfaces can be cleaned with soap and water prior to disinfection. To disinfect, use [products that meet EPA's criteria for use against SARS-CoV-2](#), the cause of COVID-19, and are appropriate for the surface.
- Avoid using other employees' phones, desks, offices, or other work tools and equipment, when possible. If necessary, clean and disinfect them before and after use.
- Clean and disinfect frequently used tools and equipment on a regular basis.
  - This includes other elements of the jobsite where possible.
  - Employees should regularly do the same in their assigned work areas.
- Clean shared spaces such as trailers and break/lunchrooms at least once per day.
- Disinfect shared surfaces (door handles, machinery controls, etc.) on a regular basis.
- Avoid sharing tools with co-workers if it can be avoided. If not, disinfect before and after each use.
- Arrange for any portable job site toilets to be cleaned by the leasing company at least twice per week and disinfected on the inside.
- Any trash collected from the jobsite must be changed frequently by someone wearing gloves.
- In addition to regular PPE for workers engaged in various tasks (fall protection, hard hats, hearing protection), employers will also provide:
  - Gloves: Gloves should be worn at all times while on-site. The type of glove worn should be appropriate to the task. If gloves are not typically required for the task, then any type of glove is acceptable, including latex gloves. Gloves should not be shared if at all possible.
  - Eye protection: Eye protection should be worn at all times while on-site.

# **AGC of Colorado Recommended Addendum to AGC America Sample Plan**

## **COVID-19 BEST PRACTICE TASK FORCE**

**Updated: April 1<sup>st</sup>, 2020**

### **Jobsite / Office Protocol**

---

- We recommend all workers who enter the jobsite are screened (wellness check and/or questionnaire) for any symptoms of illness or COVID-19
- Provide a COVID-19 Health and Safety Orientation for all new workers on the job site.
- Consider providing wash stations for workers at frequent locations around the job site. Consider monitoring for signs of illness in the workplace, if someone is showing symptoms, ask them to leave. They should NOT be allowed to enter an occupied area before leaving.
- Consider prohibiting all guests and visitors to the jobsite
- Post key CDC recommendations signage throughout the jobsite

### **Social Distancing**

---

- To limit the number of people on a jobsite, allow non-essential personnel to work from home when possible.
- Work in occupied areas should be limited to only those tasks that are strictly necessary.
- Prohibit handshaking and/or any other contact greetings.
- Don't stack trades if possible.
- Consider staggering entry and exit times for crews working on the project
- Consider one-way traffic at corridors and stairways
- In accordance with PHO 20-24, Critical Businesses must at all times comply with Social Distancing Requirements and all PHOs currently in effect to the extent possible and unless doing so would make it impossible to carry out critical functions.

### **Worker Personal Responsibilities**

---

- **Individuals must notify their supervisors and stay home if they are sick.**
- Employees are urged to take precautions to protect themselves and family members should they fall into any of the high-risk health categories. (e.g., older age; presence of chronic medical conditions, including immunocompromising conditions; pregnancy).
- It is critical that individuals NOT report to work while they are experiencing illness symptoms such as fever and symptoms, such as a cough or difficulty breathing/shortness of breath. They should contact a healthcare provider for medical advice.
- Individuals shouldn't share or pass around mobile devices (iPad, table or mobile phone), personal tools, office supplies and/or commonly shared items.
- Consider encouraging workers to NOT carpool

### **Jobsite Daily Questionnaire**

---

Designated site personnel should ask the screening questions (on attached sample plan) to all employees, workmen and visitors prior to entering the work area. If they answer "yes" to any, they should be asked to leave the jobsite immediately and not return until cleared to do so.

## Sanitation and Cleanliness

---

- Identify specific locations and practices for daily trash such as: paper, hand towels, food containers, etc. Instruct workers responsible for trash removal in proper PPE/hand washing practices.
- Encourage workers to change work clothes prior to arriving home; and to wash clothes in hot water with laundry sanitizer.
- Utilize disposable hand towels and no-touch trash receptacles.
- Request additional/increased sanitation (disinfecting) of portable toilets, as well as added toilets on the site to decrease frequency of use of each unit.
- Double check that hand sanitizer dispensers are filled – if not, fill them. Frequently touched items (door pulls and toilet seats) should be disinfected frequently, ideally after each use.

## Government Resources

---

**AGC of America** has assembled general guidance and links to information from our federal agency partners and health organizations. [Click here to access.](#)

**Colorado Department of Public Health and Environment (CDPHE)** recommendations for employers: [Click here to access.](#)

**EEOC:** What you should know about the COVID-19: [Click here to access.](#)

**EEOC:** Pandemic preparedness and Americans with Disabilities Act: [Click here to access.](#)